STATEMENT OF CLAIMS STATUS

Claims 1-3 and 5-11 are pending.

Claims 1-3 and 5-11 are rejected.

///

Amendment and Response to Paper No. 17 Mailed 11/26/03 Filing date: August 21, 2001 Date Mailed: February 24, 2004

Title: ENHANCED NONINVASIVE COLLAGEN REMODELING Serial No.: 09/934,356

Attorney Docket No.: CTC-401

SUMMARY OF RESPONSE

Detailed Action

Claim Rejections - 35 USC § 103

- 1. Examiner States: "Claims 1-3, 5, 6, and 8-11 are rejected under 35 U.S.C. 103(a) as being unpatentable over O'Donnell, Jr. U.S. Patent 6,106,514 in view of Purchio et al. U.S. Patent 5,599,788. O'Donnell, Jr. discloses apparatus and method for treating subsurface layer of skin, the method comprising the steps of: applying anti-inflammatory, anti-oxidant (wound healing) pharmaceutical agent to the skin (Col. 3, lines 21-26); and irradiating the skin with laser energy sufficient to cause stimulation of collagen remodeling for the purpose of effecting the tightening of the skin and reducing wrinkles without significantly altering the epidermis (see claims 1-3). As to claim 3, O'Donnell, Jr. applies mechanical energy to the skin tissue (Col.6, lines 6-10). As to claim 8, his treatment reduces wrinkles. Therefore, since wrinkles result from photodamaged and/or aging skin, he provides the claimed method step. Although O'Donnell, Jr., described above, discloses pharmaceutical agent to enhance the treatment, he does not teach the use of the growth factor such as H3 protein to promote the healing process. However, Purchio et al. disclose a method of producing recombinant transforming growth factor β- induced H3 protein and its use to accelerate wound healing. They further teach that H3 protein may be combined with conventional chemotherapy and radiation treatment to increase the over all treatment efficiency (col. 4, lines 58-60). Therefore, it would have been obvious to one skilled in the art at the time of the applicant's inventions to modify O'Donnell and apply growth factor such as H3 protein to the skin as taught by Purchio et al. in order to accelerate the wound healing and to enhance the over all treatment efficiency. As to claim 6 of the instant application, claim 3 of O'Donnell, Jr. teaches the claimed limitation."
- 2. Examiner states: "Claim 7 is rejected under 35 U.S.C. 103(a) as being unpatentable over

 Tankovich et al. U.S. Patent 5,817,089 in view of Purchio et al.)'788). Tankovich et al. discloses

Date Mailed: February 24, 2004

Title: ENHANCED NONINVASIVE COLLAGEN REMODELING

phototherapy treatment methods for the reduction and removal of unwanted heair and the mitigation of skin conditions such as acne and seborrhea. However, they do not apply wound healing promoter composition to the skin to enhance the healing process. Purchio et al., described above, teach the use of a wound healing protein, which may be combined with conventional chemotherapy and radiation treatment to increase the over all treatment efficiency. Therefore, it would have been obvious to one skilled in the art at the time of the applicant's invention to modify the invention of Tankovich et al. with Purchio et al. to apply a wound healing protein to the skin being treated as to enhance the wound healing process and improve the over all treatment efficiency."

///

Date Mailed: February 24, 2004

Title: ENHANCED NONINVASIVE COLLAGEN REMODELING Serial No.: 09/934,356 Attorney Docket No.: CTC-401

Page 4 of 10

AMENDMENT AND RESPONSE

1. (currently amended) A method for treatment of skin comprising:

treating a subsurface layer of skin with a source of energy sufficient to cause stimulation of collagen remodeling, in conjunction with applying a wound healing composition containing H3 protein

growth factor to the skin, thereby achieving improved collagenesis in the skin.

2. (original) The method of Claim 1 wherein the energy is electromagnetic energy.

3. (previously amended) The method of Claim 1 wherein the energy is mechanical energy.

4. (canceled)

5. (canceled)

6. (amended herein) The method of Claim [5] 1 wherein the treatment is repeated serially

with more than one day between any successive treatments.

7. (currently amended) A method for treatment of acne scars in skin, comprising:

treating subsurface and surface layers of the skin with a source of energy in order to stimulate

collagenesis in the skin without substantial injury to the epidermis, in conjunction with applying a wound

healing promoter composition containing H3 protein growth factor which enhances a healing response in

Page 5 of 10

the skin, thereby improving the appearance of the acne scars.

///

Date Mailed: February 24, 2004

Title: Enhanced noninvasive collagen remodeling Serial No.: 09/934,356

Attorney Docket No.: CTC-401

8. (currently amended) A method for treatment of photodamaged skin, comprising:

treating the skin with a source of energy which stimulates collagenesis without substantial injury

to the epidermis, in conjunction with applying a wound healing promoter composition containing H3

protein growth factor to the skin which enhances a healing response, thereby improving the appearance

of the photodamaged skin.

9. (currently amended) A method for treatment of wrinkled skin, comprising:

treating the skin with a source of energy which stimulates collagenesis without substantial injury

to the epidermis, in conjunction with applying a wound healing promoter composition containing H3

Aprotein growth factor to the skin which enhances a healing response, thereby improving the appearance

of the wrinkled skin.

10. (currently amended) An system for treatment of skin, comprising:

a source of energy which is sufficient to stimulate collagenesis in the skin without substantial

injury to the epidermis; and

a wound healing promoter composition containing H3 protein growth factor which enhances a

healing response in the skin to accelerate collagenesis therein, thereby resulting in improved appearance

of skin.

11. (previously amended) A method for treatment of tissue comprising the following steps:

causing a subdermal wound using a source of electromagnetic energy; and

applying a growth factor containing H3 protein to the tissue, such that collagenesis, repair and

healing improvement of tissue is accelerated.

///

Page 6 of 10